ELSEVIER

Journal of Organometallic Chemistry 492 (1995) C23–C24

Journal of Organometallic Chemistry

Author Index of Volume 492

Abrahams, I., 99
Abram, U., 217
Acum, G.A., 65
Agarwala, R., 135
Alberto, R., 217
Alcalde, M.I., 151
Apostolidis, C., 199
Ariza-Castolo, A., 1
Artus, G., 217
Azam, K.A., 135

Blake, A.J., C17
Blau, S., 81
Böcskei, Zs., 115
Bonifaci, C., 35
Buckwalter, B.L., 129
Butler, I.R., 157

Carmona, A., 11
Ceccon, A., 35
Cerrada, E., 105
Chang, B.-H., 31
Chiang, M.Y., 121
Contreras, R., 1
Corma, A., 11
Cullen, W.R., 157

Dakternieks, D., 145
Deeming, A.J., 41
De Jesús Rosales-Hoz, M., 1
De la Mata, J., 151
Dilshad, R., 135
Diodone, R., 73
Domínguez-Durán, M.E., 1
Dörfler, U., 59
Dyson, P.J., C17

Egli, A., 217

Fawzi, R., C1
Ferguson, G., 229
Fernández, E.J., 105

Galsworthy, J.R., 211
Gambaro, A., 35
Ganis, P., 35
García-Granda, S., 23
Gießelmann, F., 191
Gimeno, M.C., 105
Glidewell, C., 229
Gómez, M., 151
Goubitz, K., 165
Grobelny, Z., 111
Gusel'nikov, L.E., C4

Habel, W., 225
Haeusler, W., 225
Halbritter, G., 87
Hankó, K., 235
Hardcastle, K.I., 41, 135
Herberhold, M., 59
Herrmann, W.A., 217
Housecroft, C.E., 211
Hsu, S.C.N., 121
Hursthouse, M.B., 135
Hutton, A.T., C14

Iglesias, M., 11

Joachim, J.E., 199
Johnson, B.F.G., C17
Jurkschat, K., 145

Kabir, S.E., 41, 135
Kaden, T.A., 217
Kanellakopulos, B., 199
Kisch, H., 87
Knausz, D., 115
Knoch, F., 87
Kolos, Zs., 115
Kowalczuk, M., 111
Kwetkat, K., 191

Laguna, A., 105
Laguna, M., 105
Lang, H., 81
Lappert, M.F., C11
Lavrukhin, B.D., C4
Lehman, M.F., 129
Leigh, G.J., C8
Lewis, A., 229
López, E.M., 23
Luker, T., 53

Malik, K.M.A., 135
Martin, C.M., C17
Mayer, H.A., C1
Mays, M.J., 65
Meyer, D., 199
Miah, A., 41
Miah, R., 135
Miguel, D., 23
Milius, W., 59
Mitchell, T.N., 191
Moraal, M.A., 165
Mörtl, M., 115
Motevalli, M., 99

Nesa, L., 41
Nieuwenhuis, H.A., 165
Nuber, B., 199

Oskam, A., 165
Ostrander, R.L., 211

Paz-Sandoval, M.A., 1
Pazos-Mayen, C., 1
Pérez-Martínez, J.A., 23
Plenio, H., 73

Raithby, P.R., 65
Raptis, K., 199
Rebizant, J., 199
Renouard, C., 179
Rettig, S.J., 157
Rheingold, A.L., 211
Rheinwald, G., 81
Riera, V., 23
Rosenberg, E., 41, 135
Royo, P., 151

Sánchez, F., 11, 151
San José, A., 11
Santi, S., 35
Sartori, P., 225
Schaeffer, Jr., C.D., 129
Schibli, R., 217
Schmid, G., 185
Schollmeyer, D., 145
Schubiger, P.A., 217
Schütz, M., 185
Scott, F.P.A., C11
Shah, S.A.A., 99
Shahiduzzaman, M., 135
Smith, W.D., 129
Sohár, P., 115
Solan, G.A., 65
Steimann, M., C1
Stœckli-Evans, H., 179
Stolarzewicz, A., 111
Stößel, P., C1
Stufkens, D.J., 165
Sullivan, A.C., 99
Sullivan, K.J., 129

Süss-Fink, G., 179
Szakács, L., 115
Szepes, L., 235
Szymańska-Buzar, T., 241

Terroba, R., 105

Uddin, K., 41
Újszászy, K., 115

Valle, G., 35
Van Loon, A., 165
Vass, G., 235
Venzo, A., 35
Villacampa, M.D., 105
Volkova, V.V., C4

Webster, M., 53
Wewers, F.P., C14
Whitby, R.J., 53
White, A.S.C., 157
Wrackmeyer, B., 59
Wu, H., 145

Yeh, W.-Y., 121
Yoder, C.H., 129

Zakaria, C.M., 229
Ziegler, M.L., 199

ELSEVIER

Journal of Organometallic Chemistry 492 (1995) C25–C32

Journal of Organometallic Chemistry

Subject Index of Volume 492

Acetal
A facile synthesis of acetals and aldehydes from allylic ethers catalyzed by cobalt compounds (B.-H. Chang), 31

Acyl
The synthesis, characterisation and crystal structure of $[Ru_3(\mu_2\text{-}H)(CO)_9(\mu_3\text{-}\sigma:\sigma:\eta^2\text{-}COPh)]$ (A.J. Blake, P.J. Dyson, B.F.G. Johnson and C.M. Martin), C17

Aldehyde
A facile synthesis of acetals and aldehydes from allylic ethers catalyzed by cobalt compounds (B.-H. Chang), 31

Alkenyl
Bridging alkenyl species from the protonation of ditungsten, tungsten–molybdenum and dimolybdenum transverse alkyne complexes with HCl and CF_3COOH. Crystal structure of $[WMoCl(\mu\text{-}(E)\text{-}HC{=}CHPh)(CO)_4(\eta^5\text{-}C_5H_5)_2]$ (G.A. Acum, M.J. Mays, P.R. Raithby and G.A. Solan), 65

Alkyne
Übergangsmetallkomplexe von Diazenen. XXXIV. 2,6-Di(trans-stilbenyl)azobenzole und 2,3-Dihydrocinnoline durch cobaltkatalysierte, zweifache Addition von Tolan an Azobenzolderivate (G. Halbritter, F. Knoch und H. Kisch), 87

Alkynes
1,2-Azaborolyl complexes. XXXI. Cyclooligomerization of alkynes at the 1,2-azaborolylcobalt moiety (G. Schmid and M. Schütz), 185

Allyl
A facile synthesis of acetals and aldehydes from allylic ethers catalyzed by cobalt compounds (B.-H. Chang), 31

Allyl–vinyl ether rearrangement
Rearrangements of silyl- and stannyl-substituted diallyl ethers: competition between the allyl-vinyl ether rearrangement and the [2,3] Wittig sigmatropic rearrangement (T.N. Mitchell, F. Gießelmann and K. Kwetkat), 191

Amide
A multinuclear NMR study of *N*-(chlorodimethylsilylmethyl) amides (C.H. Yoder, W.D. Smith, B.L. Buckwalter, C.D. Schaeffer, Jr., K.J. Sullivan and M.F. Lehman), 129

Amine
Insertion of phenyl azide and diphenyldiazomethane into bis(cyclopentadienyl)zirconacyclopentanes. Crystal structure of an 18-electron alkyl zirconocene triazenido complex (T. Luker, R.J. Whitby and M. Webster), 53

Aminocarbene fragments
Dérivés cycliques de l'acide carbonimidodithioique en tant que source de carbène: fragmentation de ces ligands lors de leur coordination à un complexe trinucléaire de ruthénium (C. Renouard, H. Stœckli-Evans et G. Süss-Fink), 179

Arene
Arene–transition metal complexes as precursors of hard coatings prepared by the chemical vapour deposition technique (K. Hankó, G. Vass and L. Szepes), 235

Aryl
Intramolecular rearrangements of silenes II. Synthesis of 1-methyl-1-hydro-1-silaacenaphthene from 1-methyl-1-naphthyl-1-silacyclobutane via [4 → 2 + 2]thermocyclodecomposition – transient silene rearrangement sequence. Novel 1,4-hydrogen shift from aryl carbon to sp^2 silicon of the silicon–carbon double bond (L.E. Gusel'nikov, V.V. Volkova and B.D. Lavrukhin), C4

Asymmetric hydrogenation
Synthesis and characterization of new chiral Rh(I) complexes with *N,N'*-, and *N,P*-ligands. A study of anchoring on the modified zeolites and catalytic properties of heterogenized complexes (A. Carmona, A. Corma, M. Iglesias, A. San José and F. Sánchez), 11

Asymmetric hydroxylilation
Synthesis and characterization of new chiral Rh(I) complexes with *N,N'*-, and *N,P*-ligands. A study of anchoring on the modified zeolites and catalytic properties of heterogenized complexes (A. Carmona, A. Corma, M. Iglesias, A. San José and F. Sánchez), 11

1,2-Azaborolyl complexes
1,2-Azaborolyl complexes. XXXI. Cyclooligomerization of alkynes at the 1,2-azaborolylcobalt moiety (G. Schmid and M. Schütz), 185

Bis(diphenylphosphino)methane
Organomercuration of the carbanion derived from $[M(CO)_4(Ph_2PCH_2PPh_2)]$ (M = Cr, Mo or W). Crystal and molecular structure of $[Cr(CO)_4\{Ph_2PCH(HgMe)PPh_2\}]$ (A.T. Hutton and F.P. Wewers), C14

Boron
1,3-Dibora-[3]ferrocenophanes; synthesis and characterization (M. Herberhold, U. Dörfler, W. Milius and B. Wrackmeyer), 59

Carbanions
Organomercuration of the carbanion derived from $[M(CO)_4(Ph_2PCH_2PPh_2)]$ (M = Cr, Mo or W). Crystal and molecular structure of $[Cr(CO)_4\{Ph_2PCH(HgMe)PPh_2\}]$ (A.T. Hutton and F.P. Wewers), C14

Carbon-13
A multinuclear NMR study of *N*-(chlorodimethylsilylmethyl) amides (C.H. Yoder, W.D. Smith, B.L. Buckwalter, C.D. Schaeffer, Jr., K.J. Sullivan and M.F. Lehman), 129

Carbonyl
Methylene chain length and coordination geometry in triosmium clusters containing diphosphine ligands. X-Ray crystal structures of $[Os_3(CO)_{10}\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}]$ (n = 4 or 5) and $[Os_3(CO)_8\{\mu\text{-}Ph_2PCH_2PPh_2\}_2]$ (S.E. Kabir, A. Miah, L. Nesa, K. Uddin, K.I. Hardcastle, E. Rosenberg and A.J. Deeming), 41

Organomercuration of the carbanion derived from $[M(CO)_4(Ph_2PCH_2PPh_2)]$ (M = Cr, Mo or W). Crystal and molecular structure of $[Cr(CO)_4\{Ph_2PCH(HgMe)PPh_2\}]$ (A.T. Hutton and F.P. Wewers), C14

Preparation and characterization of the square-based pyramidal cluster anion $[H_2Ru_5(CO)_{14}(\mu_4\text{-}COH)]$ (J.R. Galsworthy, C.E. Housecroft, R.L. Ostrander and A.L. Rheingold), 211

The synthesis, characterisation and crystal structure of $[Ru_3(\mu_2\text{-}H)(CO)_9(\mu_3\text{-}\sigma:\sigma:\eta^2\text{-}COPh)]$ (A.J. Blake, P.J. Dyson, B.F.G. Johnson and C.M. Martin), C17

Carbonylation

A facile synthesis of acetals and aldehydes from allylic ethers catalyzed by cobalt compounds (B.-H. Chang), 31

Carbonyls

Photochemical reaction of $W(CO)_6$ with $SnCl_4$. III. Synthesis of some novel seven-coordinate tungsten(II) complexes $[WCl(SnCl_3)(CO)_3L_2]$ (L=N- and P-donor ligands) (T. Szymańska-Buzar), 241

Synthesis and characterization of tetracarbonyl complexes of molybdenum and tungsten with functionalized imines. Crystal structure of *cis*-$Mo(CO)_4[(CH_3)(C_6H_5)C{=}N(CH_2)]_2$ (M.A. Paz-Sandoval, M.E. Domínguez-Durán, C. Pazos-Mayen, A. Ariza-Castolo, M. De Jesús Rosales-Hoz and R. Contreras), 1

Chelates

Methylene chain length and coordination geometry in triosmium clusters containing diphosphine ligands. X-Ray crystal structures of $[Os_3(CO)_{10}\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}]$ ($n = 4$ or 5) and $[Os_3(CO)_8\{\mu\text{-}Ph_2PCH_2PPh_2\}_2]$ (S.E. Kabir, A. Miah, L. Nesa, K. Uddin, K.I. Hardcastle, E. Rosenberg and A.J. Deeming), 41

Chirality

The one-step synthesis of chiral amino phosphino ferrocenes (I.R. Butler, W.R. Cullen, S.J. Rettig and A.S.C. White), 157

Chromium

Arene–transition metal complexes as precursors of hard coatings prepared by the chemical vapour deposition technique (K. Hankó, G. Vass and L. Szepes), 235

Heterobimetallic indenyl complexes. Synthesis and structure of *syn*-$[Cr(CO)_3(\mu,\eta{:}\eta\text{-indenyl})Rh(COD)]$ (C. Bonifaci, A. Ceccon, A. Gambaro, P. Ganis, S. Santi, G. Valle and A. Venzo), 35

Organomercuration of the carbanion derived from $[M(CO)_4(Ph_2PCH_2PPh_2)]$ (M = Cr, Mo or W). Crystal and molecular structure of $[Cr(CO)_4\{Ph_2PCH(HgMe)PPh_2\}]$ (A.T. Hutton and F.P. Wewers), C14

Cluster

Preparation and characterization of the square-based pyramidal cluster anion $[H_2Ru_5(CO)_{14}(\mu_4\text{-}COH)]$ (J.R. Galsworthy, C.E. Housecroft, R.L. Ostrander and A.L. Rheingold), 211

Triosmium and triruthenium clusters containing diazaheterocycles (R. Agarwala, K.A. Azam, R. Dilshad, S.E. Kabir, R. Miah, M. Shahiduzzaman, K.I. Hardcastle, E. Rosenberg, M.B. Hursthouse and K.M.A. Malik), 135

Clusters

Methylene chain length and coordination geometry in triosmium clusters containing diphosphine ligands. X-Ray crystal structures of $[Os_3(CO)_{10}\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}]$ ($n = 4$ or 5) and $[Os_3(CO)_8\{\mu\text{-}Ph_2PCH_2PPh_2\}_2]$ (S.E. Kabir, A. Miah, L. Nesa, K. Uddin, K.I. Hardcastle, E. Rosenberg and A.J. Deeming), 41

Cobalt

1,2-Azaborolyl complexes. XXXI. Cyclooligomerization of alkynes at the 1,2-azaborolylcobalt moiety (G. Schmid and M. Schütz), 185

A facile synthesis of acetals and aldehydes from allylic ethers catalyzed by cobalt compounds (B.-H. Chang), 31

Thermolyseverhalten alkinylsubstituierter Cyclopentadienyl-Dicarbonyl-Eisen-Verbindungen (H. Lang, S. Blau und G. Rheinwald), 81

Übergangsmetallkomplexe von Diazenen. XXXIV. 2,6-Di(trans-stilbenyl)azobenzole und 2,3-Dihydrocinnoline durch cobaltkatalysierte, zweifache Addition von Tolan an Azobenzolderivate (G. Halbritter, F. Knoch und H. Kisch), 87

Copper

Thermolyseverhalten alkinylsubstituierter Cyclopentadienyl-Dicarbonyl-Eisen-Verbindungen (H. Lang, S. Blau und G. Rheinwald), 81

Co-substitution

Metallorganische Chemie des Technetiums XII. Photolytische CO-Substitutionsreaktionen von Technetiumtricarbonylverbindungen. Synthesen und Röntgenstrukturanalysen von $(C_5H_5)Tc(CO)_2(PPh_3)$, $(C_5Me_5)Tc(CO)_2(PPh_3)$ und $[HB(3,5\text{-}Me_2Pz)_3Tc(CO)_2\{P(OMe)_3\}]$ im Vergleich mit seinen Homologen (J.E. Joachim, C. Apostolidis, B. Kanellakopulos, D. Meyer, B. Nuber, K. Raptis, J. Rebizant und M.L. Ziegler), 199

Crown ethers

The unusual outcome of the reaction of potassium anions with phenyl glycidyl ether (A. Stolarzewicz, Z. Grobelny and M. Kowalczuk), 111

Cryptands

Metal complexes of ferrocene cryptands (H. Plenio and R. Diodone), 73

Crystal structure

Bridging alkenyl species from the protonation of ditungsten, tungsten–molybdenum and dimolybdenum transverse alkyne complexes with HCl and CF_3COOH. Crystal structure of $[WMoCl\{\mu\text{-}(E)\text{-}HC{=}CHPh\}(CO)_4(\eta^5\text{-}C_5H_5)_2]$ (G.A. Acum, M.J. Mays, P.R. Raithby and G.A. Solan), 65

Hydrogen-bonded adducts of ferrocene-1,1'-diylbis(diphenylmethanol) with nitrogenous bases: crystal and molecular structure of the 2:1 adduct with hexamethylenetetramine (G. Ferguson, C. Glidewell, A. Lewis and C.M. Zakaria), 229

Insertion of phenyl azide and diphenyldiazomethane into bis(cyclopentadienyl)zirconacyclopentanes. Crystal structure of an 18-electron alkyl zirconocene triazenido complex (T. Luker, R.J. Whitby and M. Webster), 53

New *N*-hydroxy carbamic acid trialkylsilyl derivatives: preparation and thermal reactions (M. Mörtl, D. Knausz, Zs. Böcskei, Zs. Kolos, K. Újszászy, L. Szakács and P. Sohár), 115

Preparation and characterization of the square-based pyramidal cluster anion $[H_2Ru_5(CO)_{14}(\mu_4\text{-}COH)]$ (J.R. Galsworthy, C.E. Housecroft, R.L. Ostrander and A.L. Rheingold), 211

Synthesis and crystal structures of the cyclosiloxytin(IV) complexes $[Cl_2Sn\{O(SiPh_2O)_2\}_2]\text{-}\mu\text{-}(Li(THF)_2)_2]$ and $[THF_2Sn\{(OSiPh_2)_3O\}_2]\cdot$toluene (I. Abrahams, M. Motevalli, S.A.A. Shah and A.C. Sullivan), 99

Synthesis and X-ray molecular structure of *cis,cis*-1,3,5-Tris-(diphenylphosphino)-1,3,5-tris(methoxycarbonyl)cyclohexane (H.A. Mayer, P. Stößel, R. Fawzi and M. Steimann), C1

Synthesis, NMR studies and molecular structures of $[(PhSSn)_2(CH_2)_3]_2$ and $[PhSn(S_2CNEt_2)]_2(S)(CH_2)_3$ (D. Dakternieks, K. Jurkschat, D. Schollmeyer and H. Wu), 145

The one-step synthesis of chiral amino phosphino ferrocenes (I.R. Butler, W.R. Cullen, S.J. Rettig and A.S.C. White), 157

The synthesis, characterisation and crystal structure of $[Ru_3(\mu_2\text{-}H)(CO)_9(\mu_3\text{-}\sigma:\sigma:\eta^2\text{-}COPh)]$ (A.J. Blake, P.J. Dyson, B.F.G. Johnson and C.M. Martin), C17

Cyclodimerization
1,2-Azaborolyl complexes. XXXI. Cyclooligomerization of alkynes at the 1,2-azaborolylcobalt moiety (G. Schmid and M. Schütz), 185
Cyclopropanation
Synthesis and characterization of new chiral Rh(I) complexes with *N,N'*-, and *N,P*-ligands. A study of anchoring on the modified zeolites and catalytic properties of heterogenized complexes (A. Carmona, A. Corma, M. Iglesias, A. San José and F. Sánchez), 11
Cyclotrimerization
1,2-Azaborolyl complexes. XXXI. Cyclooligomerization of alkynes at the 1,2-azaborolylcobalt moiety (G. Schmid and M. Schütz), 185

Diazenes
Übergangsmetallkomplexe von Diazenen. XXXIV. 2,6-Di(trans-stilbenyl)azobenzole und 2,3-Dihydrocinnoline durch cobaltkatalysierte, zweifache Addition von Tolan an Azobenzolderivate (G. Halbritter, F. Knoch und H. Kisch), 87
Diazine
Triosmium and triruthenium clusters containing diazaheterocycles (R. Agarwala, K.A. Azam, R. Dilshad, S.E. Kabir, R. Miah, M. Shahiduzzaman, K.I. Hardcastle, E. Rosenberg, M.B. Hursthouse and K.M.A. Malik), 135
Diboraferrocenophanes
1,3-Dibora-[3]ferrocenophanes; synthesis and characterization (M. Herberhold, U. Dörfler, W. Milius and B. Wrackmeyer), 59
Diimines
Photochemistry of the metal–metal-bonded complexes $[(CO)_5Mn–Ru(Me)(CO)_2(\alpha\text{-diimine})]$. Crystal structure of the photoproduct $[(CO)_4Mn\text{-}\mu\text{-}(\sigma(N),\sigma(N'),\eta^2(CN)\text{-}^i Pr\text{-}PyCa)\text{-}Ru(Me)(CO)_2]$ (H.A. Nieuwenhuis, A. Van Loon, M.A. Moraal, D.J. Stufkens, A. Oskam and K. Goubitz), 165
Diorganotin sulphides
Synthesis, NMR studies and molecular structures of $[(PhSSn)_2(CH_2)_3]_2$ and $[PhSn(S_2CNEt_2)]_2(S)(CH_2)_3$ (D. Dakternieks, K. Jurkschat, D. Schollmeyer and H. Wu), 145
Diphosphines
Methylene chain length and coordination geometry in triosmium clusters containing diphosphine ligands. X-Ray crystal structures of $[Os_3(CO)_{10}\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}]$ ($n = 4$ or 5) and $[Os_3(CO)_8\{\mu\text{-}Ph_2PCH_2PPh_2\}_2]$ (S.E. Kabir, A. Miah, L. Nesa, K. Uddin, K.I. Hardcastle, E. Rosenberg and A.J. Deeming), 41
Dithiolate complexes
Synthesis of dithiolate gold(III) complexes by dithiolate transfer reactions. X-ray structure of $[Au(C_6F_5)(S_2C_6H_4)(PPh_3)]$ (E. Cerrada, E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, R. Terroba and M.D. Villacampa), 105

Early transition metals
Insertion of phenyl azide and diphenyldiazomethane into bis(cyclopentadienyl)zirconacyclopentanes. Crystal structure of an 18-electron alkyl zirconocene triazenido complex (T. Luker, R.J. Whitby and M. Webster), 53
ESR spectroscopy
Photochemistry of the metal–metal-bonded complexes $[(CO)_5Mn–Ru(Me)(CO)_2(\alpha\text{-diimine})]$. Crystal structure of the photoproduct $[(CO)_4Mn\text{-}\mu\text{-}(\sigma(N),\sigma(N'),\eta^2(CN)\text{-}^i Pr\text{-}PyCa)\text{-}Ru(Me)(CO)_2]$ (H.A. Nieuwenhuis, A. Van Loon, M.A. Moraal, D.J. Stufkens, A. Oskam and K. Goubitz), 165
Ether
A facile synthesis of acetals and aldehydes from allylic ethers catalyzed by cobalt compounds (B.-H. Chang), 31

Ferrocene
Hydrogen-bonded adducts of ferrocene-1,1'-diylbis(diphenylmethanol) with nitrogenous bases: crystal and molecular structure of the 2:1 adduct with hexamethylenetetramine (G. Ferguson, C. Glidewell, A. Lewis and C.M. Zakaria), 229
Metal complexes of ferrocene cryptands (H. Plenio and R. Diodone), 73
The one-step synthesis of chiral amino phosphino ferrocenes (I.R. Butler, W.R. Cullen, S.J. Rettig and A.S.C. White), 157

Gold
Synthesis of dithiolate gold(III) complexes by dithiolate transfer reactions. X-ray structure of $[Au(C_6F_5)(S_2C_6H_4)(PPh_3)]$ (E. Cerrada, E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, R. Terroba and M.D. Villacampa), 105
Group 1
Metal complexes of ferrocene cryptands (H. Plenio and R. Diodone), 73
Group 2
Metal complexes of ferrocene cryptands (H. Plenio and R. Diodone), 73
Group 4
Insertion of phenyl azide and diphenyldiazomethane into bis(cyclopentadienyl)zirconacyclopentanes. Crystal structure of an 18-electron alkyl zirconocene triazenido complex (T. Luker, R.J. Whitby and M. Webster), 53
Group 14
A multinuclear NMR study of *N*-(chlorodimethylsilylmethyl) amides (C.H. Yoder, W.D. Smith, B.L. Buckwalter, C.D. Schaeffer, Jr., K.J. Sullivan and M.F. Lehman), 129

Hafnium
Arene–transition metal complexes as precursors of hard coatings prepared by the chemical vapour deposition technique (K. Hankó, G. Vass and L. Szepes), 235
Half-sandwich cpds
Half-sandwich isocyanide, phosphine, methyl and phosphanido pentamethylcyclopentadienylniobium(V) complexes (M.I. Alcalde, J. De la Mata, M. Gómez, P. Royo and F. Sánchez), 151
Heterocycles
Triosmium and triruthenium clusters containing diazaheterocycles (R. Agarwala, K.A. Azam, R. Dilshad, S.E. Kabir, R. Miah, M. Shahiduzzaman, K.I. Hardcastle, E. Rosenberg, M.B. Hursthouse and K.M.A. Malik), 135
Host–guest adducts
Hydrogen-bonded adducts of ferrocene-1,1'-diylbis(diphenylmethanol) with nitrogenous bases: crystal and molecular structure of the 2:1 adduct with hexamethylenetetramine (G. Ferguson, C. Glidewell, A. Lewis and C.M. Zakaria), 229
1,4-H shift
Intramolecular rearrangements of silenes II. Synthesis of 1-methyl-1-hydro-1-silaacenaphthene from 1-methyl-1-naphthyl-1-silacyclobutane via [4 → 2 + 2]thermocyclodecomposition – transient silene rearrangement sequence. Novel 1,4-hydrogen shift from aryl carbon to sp^2 silicon of the silicon–carbon double bond (L.E. Gusel'nikov, V.V. Volkova and B.D. Lavrukhin), C4
Hydride
The synthesis, characterisation and crystal structure of $[Ru_3(\mu_2\text{-}H)(CO)_9(\mu_3\text{-}\sigma:\sigma:\eta^2\text{-}COPh)]$ (A.J. Blake, P.J. Dyson, B.F.G. Johnson and C.M. Martin), C17
Triosmium and triruthenium clusters containing diazaheterocycles (R. Agarwala, K.A. Azam, R. Dilshad, S.E. Kabir, R.

Miah, M. Shahiduzzaman, K.I. Hardcastle, E. Rosenberg, M.B. Hursthouse and K.M.A. Malik), 135

Hydrogen bonding
Hydrogen-bonded adducts of ferrocene-1,1'-diylbis(diphenylmethanol) with nitrogenous bases: crystal and molecular structure of the 2:1 adduct with hexamethylenetetramine (G. Ferguson, C. Glidewell, A. Lewis and C.M. Zakaria), 229

Hydrosilylation
The reaction pathway from Speier's to Karstedt's hydrosilylation catalyst (M.F. Lappert and F.P.A. Scott), C11

Imines
Synthesis and characterization of tetracarbonyl complexes of molybdenum and tungsten with functionalized imines. Crystal structure of *cis*-$Mo(CO)_4[(CH_3)(C_6H_5)C{=}N(CH_2)]_2$ (M.A. Paz-Sandoval, M.E. Domínguez-Durán, C. Pazos-Mayen, A. Ariza-Castolo, M. De Jesús Rosales-Hoz and R. Contreras), 1

Indenyl
Heterobimetallic indenyl complexes. Synthesis and structure of *syn*-[$Cr(CO)_3(\mu,\eta{:}\eta$-indenyl)Rh(COD)] (C. Bonifaci, A. Ceccon, A. Gambaro, P. Ganis, S. Santi, G. Valle and A. Venzo), 35

Iron
1,3-Dibora-[3]ferrocenophanes; synthesis and characterization (M. Herberhold, U. Dörfler, W. Milius and B. Wrackmeyer), 59
Hydrogen-bonded adducts of ferrocene-1,1'-diylbis(diphenylmethanol) with nitrogenous bases: crystal and molecular structure of the 2:1 adduct with hexamethylenetetramine (G. Ferguson, C. Glidewell, A. Lewis and C.M. Zakaria), 229
The one-step synthesis of chiral amino phosphino ferrocenes (I.R. Butler, W.R. Cullen, S.J. Rettig and A.S.C. White), 157
Thermolyseverhalten alkinylsubstituierter Cyclopentadienyl-Dicarbonyl-Eisen-Verbindungen (H. Lang, S. Blau und G. Rheinwald), 81

Isocyanide
Half-sandwich isocyanide, phosphine, methyl and phosphanido pentamethylcyclopentadienylniobium(V) complexes (M.I. Alcalde, J. De la Mata, M. Gómez, P. Royo and F. Sánchez), 151

Isomerism
Synthesis, NMR studies and molecular structures of $[(PhSSn)_2(CH_2)_3]_2$ and $[PhSn(S_2CNEt_2)]_2(S)CH_2)_3$ (D. Dakternieks, K. Jurkschat, D. Schollmeyer and H. Wu), 145

Lithium
Synthesis and crystal structures of the cyclosiloxytin(IV) complexes $[Cl_2Sn\{O(SiPh_2O)_2\}_2]$-$\mu$-$(Li(THF)_2)_2]$ and $[THF_2$-$Sn\{(OSiPh_2)_3O\}_2]$ · toluene (I. Abrahams, M. Motevalli, S.A.A. Shah and A.C. Sullivan), 99

Low-pressure Carbonylation
Metal carbonyl syntheses. XXII. Low-pressure carbonylation of $[MOCl_4]^-$ and $[MO_4]^-$. The technetium(I) and rhenium(I) complexes $[NEt_4]_2[MCl_3(CO)_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 217

Manganese
Photochemistry of the metal–metal-bonded complexes $[(CO)_5$-Mn–Ru(Me)$(CO)_2(\alpha$-diimine)]. Crystal structure of the photoproduct $[(CO)_4$Mn-μ-$(\sigma(N),\sigma(N'),\eta^2(CN)$-^{i}Pr-PyCa)-Ru(Me)$(CO)_2]$ (H.A. Nieuwenhuis, A. Van Loon, M.A. Moraal, D.J. Stufkens, A. Oskam and K. Goubitz), 165
Reduction reactions of binuclear manganese–molybdenum complexes containing S_2CPR_3 and bidentate *P*-donor bridges. X-Ray structure of $[MnMo(SnPh_3)(CO)_4(\mu$-tedip$)(\mu$-$S_2CPCy_3)]$ (E.M. López, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 23

Mass spectrometry
Arene–transition metal complexes as precursors of hard coatings prepared by the chemical vapour deposition technique (K. Hankó, G. Vass and L. Szepes), 235

Mass spectroscopy
New *N*-hydroxy carbamic acid trialkylsilyl derivatives: preparation and thermal reactions (M. Mörtl, D. Knausz, Zs. Böcskei, Zs. Kolos, K. Újszászy, L. Szakács and P. Sohár), 115

Metal Carbonyls
Metal carbonyl syntheses. XXII. Low-pressure carbonylation of $[MOCl_4]^-$ and $[MO_4]^-$. The technetium(I) and rhenium(I) complexes $[NEt_4]_2[MCl_3(CO)_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 217

Metallacycle
Insertion of phenyl azide and diphenyldiazomethane into bis(cyclopentadienyl)zirconacyclopentanes. Crystal structure of an 18-electron alkyl zirconocene triazenido complex (T. Luker, R.J. Whitby and M. Webster), 53

Metallasiloxanes
Synthesis and crystal structures of the cyclosiloxytin(IV) complexes $[Cl_2Sn\{O(SiPh_2O)_2\}_2]$-$\mu$-$(Li(THF)_2)_2]$ and $[THF_2$-$Sn\{(OSiPh_2)_3O\}_2]$ · toluene (I. Abrahams, M. Motevalli, S.A.A. Shah and A.C. Sullivan), 99

Metal–metal bonding
Photochemistry of the metal–metal-bonded complexes $[(CO)_5$-Mn–Ru(Me)$(CO)_2(\alpha$-diimine)]. Crystal structure of the photoproduct $[(CO)_4$Mn-μ-$(\sigma(N),\sigma(N'),\eta^2(CN)$-^{i}Pr-PyCa)-Ru(Me)$(CO)_2]$ (H.A. Nieuwenhuis, A. Van Loon, M.A. Moraal, D.J. Stufkens, A. Oskam and K. Goubitz), 165

Methylene
Methylene chain length and coordination geometry in triosmium clusters containing diphosphine ligands. X-Ray crystal structures of $[Os_3(CO)_{10}(\mu$-$Ph_2P(CH_2)_nPPh_2]$ ($n = 4$ or 5) and $[Os_3(CO)_8(\mu$-$Ph_2PCH_2PPh_2)_2]$ (S.E. Kabir, A. Miah, L. Nesa, K. Uddin, K.I. Hardcastle, E. Rosenberg and A.J. Deeming), 41

MOCVD
Arene–transition metal complexes as precursors of hard coatings prepared by the chemical vapour deposition technique (K. Hankó, G. Vass and L. Szepes), 235

Molybdenum
Bridging alkenyl species from the protonation of ditungsten, tungsten–molybdenum and dimolybdenum transverse alkyne complexes with HCl and CF_3COOH. Crystal structure of $[WMoCl(\mu$-(E)-HC=CHPh$)(CO)_4(\eta^5$-$C_5H_5)_2]$ (G.A. Acum, M.J. Mays, P.R. Raithby and G.A. Solan), 65
Organomercuration of the carbanion derived from $[M(CO)_4$-$(Ph_2PCH_2PPh_2)]$ (M = Cr, Mo or W). Crystal and molecular structure of $[Cr(CO)_4\{Ph_2PCH(HgMe)PPh_2\}]$ (A.T. Hutton and F.P. Wewers), C14
Reduction reactions of binuclear manganese–molybdenum complexes containing S_2CPR_3 and bidentate *P*-donor bridges. X-Ray structure of $[MnMo(SnPh_3)(CO)_4(\mu$-tedip$)(\mu$-$S_2CPCy_3)]$ (E.M. López, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 23
Synthesis and characterization of tetracarbonyl complexes of molybdenum and tungsten with functionalized imines. Crystal structure of *cis*-$Mo(CO)_4[(CH_3)(C_6H_5)C{=}N(CH_2)]_2$ (M.A. Paz-Sandoval, M.E. Domínguez-Durán, C. Pazos-Mayen, A. Ariza-Castolo, M. De Jesús Rosales-Hoz and R. Contreras), 1

Synthesis and X-ray molecular structure of *cis,cis*-1,3,5-Tris-(diphenylphosphino)-1,3,5-tris(methoxycarbonyl)cyclohexane (H.A. Mayer, P. Stößel, R. Fawzi and M. Steimann), C1

Niobium
Half-sandwich isocyanide, phosphine, methyl and phosphanido pentamethylcyclopentadienylniobium(V) complexes (M.I. Alcalde, J. De la Mata, M. Gómez, P. Royo and F. Sánchez), 151

Nitrene
New *N*-hydroxy carbamic acid trialkylsilyl derivatives: preparation and thermal reactions (M. Mörtl, D. Knausz, Zs. Böcskei, Zs. Kolos, K. Újszászy, L. Szakács and P. Sohár), 115

Nitrogen
Triosmium and triruthenium clusters containing diazaheterocycles (R. Agarwala, K.A. Azam, R. Dilshad, S.E. Kabir, R. Miah, M. Shahiduzzaman, K.I. Hardcastle, E. Rosenberg, M.B. Hursthouse and K.M.A. Malik), 135

NMR
A multinuclear NMR study of *N*-(chlorodimethylsilylmethyl) amides (C.H. Yoder, W.D. Smith, B.L. Buckwalter, C.D. Schaeffer, Jr., K.J. Sullivan and M.F. Lehman), 129

NMR, multinuclear
1,3-Dibora-[3]ferrocenophanes; synthesis and characterization (M. Herberhold, U. Dörfler, W. Milius and B. Wrackmeyer), 59

Osmium
Methylene chain length and coordination geometry in triosmium clusters containing diphosphine ligands. X-Ray crystal structures of $[Os_3(CO)_{10}\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}]$($n = 4$ or 5) and $[Os_3(CO)_8\{\mu\text{-}Ph_2PCH_2PPh_2\}_2]$ (S.E. Kabir, A. Miah, L. Nesa, K. Uddin, K.I. Hardcastle, E. Rosenberg and A.J. Deeming), 41

Triosmium and triruthenium clusters containing diazaheterocycles (R. Agarwala, K.A. Azam, R. Dilshad, S.E. Kabir, R. Miah, M. Shahiduzzaman, K.I. Hardcastle, E. Rosenberg, M.B. Hursthouse and K.M.A. Malik), 135

Oxiranes
The unusual outcome of the reaction of potassium anions with phenyl glycidyl ether (A. Stolarzewicz, Z. Grobelny and M. Kowalczuk), 111

Palladium
The one-step synthesis of chiral amino phosphino ferrocenes (I.R. Butler, W.R. Cullen, S.J. Rettig and A.S.C. White), 157

Pentamethylcyclopentadienyl
Half-sandwich isocyanide, phosphine, methyl and phosphanido pentamethylcyclopentadienylniobium(V) complexes (M.I. Alcalde, J. De la Mata, M. Gómez, P. Royo and F. Sánchez), 151

Phosphanido
Half-sandwich isocyanide, phosphine, methyl and phosphanido pentamethylcyclopentadienylniobium(V) complexes (M.I. Alcalde, J. De la Mata, M. Gómez, P. Royo and F. Sánchez), 151

Phosphine
Half-sandwich isocyanide, phosphine, methyl and phosphanido pentamethylcyclopentadienylniobium(V) complexes (M.I. Alcalde, J. De la Mata, M. Gómez, P. Royo and F. Sánchez), 151

Phosphorus
The one-step synthesis of chiral amino phosphino ferrocenes (I.R. Butler, W.R. Cullen, S.J. Rettig and A.S.C. White), 157

Photochemistry
Photochemistry of the metal–metal-bonded complexes $[(CO)_5Mn\text{–}Ru(Me)(CO)_2(\alpha\text{-diimine})]$. Crystal structure of the photoproduct $[(CO)_4Mn\text{-}\mu\text{-}(\sigma(N),\sigma(N'),\eta^2(CN)\text{-}^iPr\text{-}PyCa)\text{-}Ru(Me)(CO)_2]$ (H.A. Nieuwenhuis, A. Van Loon, M.A. Moraal, D.J. Stufkens, A. Oskam and K. Goubitz), 165

Photochlorination
Synthese und Charakterisierung von Poly(dialkylsilylen-co-alkylenen) (W. Habel, W. Haeusler und P. Sartori), 225

Photolysis
Metallorganische Chemie des Technetiums XII. Photolytische CO-Substitutionsreaktionen von Technetiumtricarbonylverbindungen. Synthesen und Röntgenstrukturanalysen von $(C_5H_5)Tc(CO)_2(PPh_3)$, $(C_5Me_5)Tc(CO)_2(PPh_3)$ und $[HB(3,5\text{-}Me_2Pz)_3Tc(CO)_2\{P(OMe)_3\}]$ im Vergleich mit seinen Homologen (J.E. Joachim, C. Apostolidis, B. Kanellakopulos, D. Meyer, B. Nuber, K. Raptis, J. Rebizant und M.L. Ziegler), 199

Platinum
The reaction pathway from Speier's to Karstedt's hydrosilylation catalyst (M.F. Lappert and F.P.A. Scott), C11

Poly(carbosilanes)
Synthese und Charakterisierung von Poly(dialkylsilylen-co-alkylenen) (W. Habel, W. Haeusler und P. Sartori), 225

Poly(dialkylsilylene co-alkylenes)
Synthese und Charakterisierung von Poly(dialkylsilylen-co-alkylenen) (W. Habel, W. Haeusler und P. Sartori), 225

Potassium anions
The unusual outcome of the reaction of potassium anions with phenyl glycidyl ether (A. Stolarzewicz, Z. Grobelny and M. Kowalczuk), 111

Protonation
Bridging alkenyl species from the protonation of ditungsten, tungsten–molybdenum and dimolybdenum transverse alkyne complexes with HCl and CF_3COOH. Crystal structure of $[WMoCl\{\mu\text{-}(E)\text{-}HC{=}CHPh\}(CO)_4(\eta^5\text{-}C_5H_5)_2]$ (G.A. Acum, M.J. Mays, P.R. Raithby and G.A. Solan), 65

Rearrangement
Intramolecular rearrangements of silenes II. Synthesis of 1-methyl-1-hydro-1-silaacenaphthene from 1-methyl-1-naphthyl-1-silacyclobutane via $[4 \rightarrow 2 + 2]$thermocyclodecomposition – transient silene rearrangement sequence. Novel 1,4-hydrogen shift from aryl carbon to sp^2 silicon of the silicon–carbon double bond (L.E. Gusel'nikov, V.V. Volkova and B.D. Lavrukhin), C4

Rhenium
Metal carbonyl syntheses. XXII. Low-pressure carbonylation of $[MOCl_4]^-$ and $[MO_4]^-$. The technetium(I) and rhenium(I) complexes $[NEt_4]_2[MCl_3(CO)_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 217

Rhodium
Heterobimetallic indenyl complexes. Synthesis and structure of *syn*-$[Cr(CO)_3(\mu,\eta\text{:}\eta\text{-indenyl})Rh(COD)]$ (C. Bonifaci, A. Ceccon, A. Gambaro, P. Ganis, S. Santi, G. Valle and A. Venzo), 35

Synthesis and characterization of new chiral Rh(I) complexes with *N,N'*-, and *N,P*-ligands. A study of anchoring on the modified zeolites and catalytic properties of heterogenized complexes (A. Carmona, A. Corma, M. Iglesias, A. San José and F. Sánchez), 11

Rotamers
A multinuclear NMR study of *N*-(chlorodimethylsilylmethyl) amides (C.H. Yoder, W.D. Smith, B.L. Buckwalter, C.D. Schaeffer, Jr., K.J. Sullivan and M.F. Lehman), 129
Ruthenium
Dérivés cycliques de l'acide carbonimidodithioique en tant que source de carbène: fragmentation de ces ligands lors de leur coordination à un complexe trinucléaire de ruthénium (C. Renouard, H. Stœckli-Evans et G. Süss-Fink), 179
Photochemistry of the metal–metal-bonded complexes $[(CO)_5Mn–Ru(Me)(CO)_2(\alpha\text{-diimine})]$. Crystal structure of the photoproduct $[(CO)_4Mn\text{-}\mu\text{-}(\sigma(N),\sigma(N'),\eta^2(CN)\text{-}^i Pr\text{-}PyCa)\text{-}Ru(Me)(CO)_2]$ (H.A. Nieuwenhuis, A. Van Loon, M.A. Moraal, D.J. Stufkens, A. Oskam and K. Goubitz), 165
Preparation and characterization of the square-based pyramidal cluster anion $[H_2Ru_5(CO)_{14}(\mu_4\text{-COH})]$ (J.R. Galsworthy, C.E. Housecroft, R.L. Ostrander and A.L. Rheingold), 211
The synthesis, characterisation and crystal structure of $[Ru_3(\mu_2\text{-}H)(CO)_9(\mu_3\text{-}\sigma:\sigma:\eta^2\text{-COPh})]$ (A.J. Blake, P.J. Dyson, B.F.G. Johnson and C.M. Martin), C17

Seven-coordinate
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. III. Synthesis of some novel seven-coordinate tungsten(II) complexes $[WCl(SnCl_3)(CO)_3L_2]$ (L=N- and P-donor ligands) (T. Szymańska-Buzar), 241
Silaacenaphthene
Intramolecular rearrangements of silenes II. Synthesis of 1-methyl-1-hydro-1-silaacenaphthene from 1-methyl-1-naphthyl-1-silacyclobutane via [4 → 2 + 2]thermocyclodecomposition – transient silene rearrangement sequence. Novel 1,4-hydrogen shift from aryl carbon to sp^2 silicon of the silicon–carbon double bond (L.E. Gusel'nikov, V.V. Volkova and B.D. Lavrukhin), C4
Silacyclobutane
Intramolecular rearrangements of silenes II. Synthesis of 1-methyl-1-hydro-1-silaacenaphthene from 1-methyl-1-naphthyl-1-silacyclobutane via [4 → 2 + 2]thermocyclodecomposition – transient silene rearrangement sequence. Novel 1,4-hydrogen shift from aryl carbon to sp^2 silicon of the silicon–carbon double bond (L.E. Gusel'nikov, V.V. Volkova and B.D. Lavrukhin), C4
Silenes
Intramolecular rearrangements of silenes II. Synthesis of 1-methyl-1-hydro-1-silaacenaphthene from 1-methyl-1-naphthyl-1-silacyclobutane via [4 → 2 + 2]thermocyclodecomposition – transient silene rearrangement sequence. Novel 1,4-hydrogen shift from aryl carbon to sp^2 silicon of the silicon–carbon double bond (L.E. Gusel'nikov, V.V. Volkova and B.D. Lavrukhin), C4
Silicon
A multinuclear NMR study of *N*-(chlorodimethylsilylmethyl) amides (C.H. Yoder, W.D. Smith, B.L. Buckwalter, C.D. Schaeffer, Jr., K.J. Sullivan and M.F. Lehman), 129
New *N*-hydroxy carbamic acid trialkylsilyl derivatives: preparation and thermal reactions (M. Mörtl, D. Knausz, Zs. Böcskei, Zs. Kolos, K. Újszászy, L. Szakács and P. Sohár), 115
Rearrangements of silyl- and stannyl-substituted diallyl ethers: competition between the allyl-vinyl ether rearrangement and the [2,3] Wittig sigmatropic rearrangement (T.N. Mitchell, F. Gießelmann and K. Kwetkat), 191
Synthese und Charakterisierung von Poly(dialkylsilylen-co-alkylenen) (W. Habel, W. Haeusler und P. Sartori), 225
Synthesis and crystal structures of the cyclosiloxytin(IV) complexes $[Cl_2Sn(O(SiPh_2O)_2)_2]\text{-}\mu\text{-}(Li(THF)_2)_2]$ and $[THF_2\text{-}Sn\{(OSiPh_2)_3O\}_2]\cdot$ toluene (I. Abrahams, M. Motevalli, S.A.A. Shah and A.C. Sullivan), 99
The reaction pathway from Speier's to Karstedt's hydrosilylation catalyst (M.F. Lappert and F.P.A. Scott), C11
^{29}Si-NMR spectroscopy
Synthese und Charakterisierung von Poly(dialkylsilylen-co-alkylenen) (W. Habel, W. Haeusler und P. Sartori), 225
Stannasiloxane
Synthesis and crystal structures of the cyclosiloxytin(IV) complexes $[Cl_2Sn(O(SiPh_2O)_2)_2]\text{-}\mu\text{-}(Li(THF)_2)_2]$ and $[THF_2\text{-}Sn\{(OSiPh_2)_3O\}_2]\cdot$ toluene (I. Abrahams, M. Motevalli, S.A.A. Shah and A.C. Sullivan), 99
Stereochemistry
Synthesis and characterization of tetracarbonyl complexes of molybdenum and tungsten with functionalized imines. Crystal structure of *cis*-$Mo(CO)_4[(CH_3)(C_6H_5)C{=}N(CH_2)]_2$ (M.A. Paz-Sandoval, M.E. Domínguez-Durán, C. Pazos-Mayen, A. Ariza-Castolo, M. De Jesús Rosales-Hoz and R. Contreras), 1
Structure
Metal carbonyl syntheses. XXII. Low-pressure carbonylation of $[MOCl_4]^-$ and $[MO_4]^-$. The technetium(I) and rhenium(I) complexes $[NEt_4]_2[MCl_3(CO)_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 217
Supported catalysts
Synthesis and characterization of new chiral Rh(I) complexes with *N,N'*-, and *N,P*-ligands. A study of anchoring on the modified zeolites and catalytic properties of heterogenized complexes (A. Carmona, A. Corma, M. Iglesias, A. San José and F. Sánchez), 11
Syn and *anti* structures
Heterobimetallic indenyl complexes. Synthesis and structure of *syn*-$[Cr(CO)_3(\mu,\eta:\eta\text{-indenyl})Rh(COD)]$ (C. Bonifaci, A. Ceccon, A. Gambaro, P. Ganis, S. Santi, G. Valle and A. Venzo), 35
Synthesis
Half-sandwich isocyanide, phosphine, methyl and phosphanido pentamethylcyclopentadienylniobium(V) complexes (M.I. Alcalde, J. De la Mata, M. Gómez, P. Royo and F. Sánchez), 151
Synthesis of dithiolate gold(III) complexes by dithiolate transfer reactions. X-ray structure of $[Au(C_6F_5)S_2C_6H_4)(PPh_3)]$ (E. Cerrada, E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, R. Terroba and M.D. Villacampa), 105

Technecium
Metallorganische Chemie des Technetiums XII. Photolytische CO-Substitutionsreaktionen von Technetiumtricarbonylverbindungen. Synthesen und Röntgenstrukturanalysen von $(C_5H_5)Tc(CO)_2(PPh_3)$, $(C_5Me_5)Tc(CO)_2(PPh_3)$ und $[HB(3,5\text{-}Me_2Pz)_3Tc(CO)_2[P(OMe)_3]$ im Vergleich mit seinen Homologen (J.E. Joachim, C. Apostolidis, B. Kanellakopulos, D. Meyer, B. Nuber, K. Raptis, J. Rebizant und M.L. Ziegler), 199
Technetium
Metal carbonyl syntheses. XXII. Low-pressure carbonylation of $[MOCl_4]^-$ and $[MO_4]^-$. The technetium(I) and rhenium(I) complexes $[NEt_4]_2[MCl_3(CO)_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 217

Thermolysis
Thermolyseverhalten alkinylsubstituierter Cyclopentadienyl-Dicarbonyl-Eisen-Verbindungen (H. Lang, S. Blau und G. Rheinwald), 81
Thiolate fragments
Dérivés cycliques de l'acide carbonimidodithioique en tant que source de carbène: fragmentation de ces ligands lors de leur coordination à un complexe trinucléaire de ruthénium (C. Renouard, H. Stœckli-Evans et G. Süss-Fink), 179
Tin
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. III. Synthesis of some novel seven-coordinate tungsten(II) complexes $[WCl(SnCl_3)(CO)_3L_2]$ (L=N- and P-donor ligands) (T. Szymańska-Buzar), 241
Rearrangements of silyl- and stannyl-substituted diallyl ethers: competition between the allyl-vinyl ether rearrangement and the [2,3] Wittig sigmatropic rearrangement (T.N. Mitchell, F. Gießelmann and K. Kwetkat), 191
Synthesis and crystal structures of the cyclosiloxytin(IV) complexes $[Cl_2Sn\{O(SiPh_2O)_2\}_2]$-$\mu$-$(Li(THF)_2)_2]$ and $[THF_2$-$Sn\{(OSiPh_2)_3O\}_2] \cdot$ toluene (I. Abrahams, M. Motevalli, S.A.A. Shah and A.C. Sullivan), 99
Synthesis, NMR studies and molecular structures of $[(PhSSn)_2(CH_2)_3]_2$ and $[PhSn(S_2CNEt_2)]_2(S)(CH_2)_3$ (D. Dakternieks, K. Jurkschat, D. Schollmeyer and H. Wu), 145
Synthesis of dithiolate gold(III) complexes by dithiolate transfer reactions. X-ray structure of $[Au(C_6F_5)(S_2C_6H_4)(PPh_3)]$ (E. Cerrada, E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, R. Terroba and M.D. Villacampa), 105
Transition metal complexes
Übergangsmetallkomplexe von Diazenen. XXXIV. 2,6-Di(trans-stilbenyl)azobenzole und 2,3-Dihydrocinnoline durch cobaltkatalysierte, zweifache Addition von Tolan an Azobenzolderivate (G. Halbritter, F. Knoch und H. Kisch), 87
Trialkylphosphoniodithioformate bridges
Reduction reactions of binuclear manganese–molybdenum complexes containing S_2CPR_3 and bidentate *P*-donor bridges. X-Ray structure of $[MnMo(SnPh_3)(CO)_4(\mu$-tedip$)(\mu$-$S_2CPCy_3)]$ (E.M. López, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 23
Trimethylsilyl
New *N*-hydroxy carbamic acid trialkylsilyl derivatives: preparation and thermal reactions (M. Mörtl, D. Knausz, Zs. Böcskei, Zs. Kolos, K. Újszászy, L. Szakács and P. Sohár), 115
Tripodal phosphine
Synthesis and X-ray molecular structure of *cis,cis*-1,3,5-Tris-(diphenylphosphino)-1,3,5-tris(methoxycarbonyl)cyclohexane (H.A. Mayer, P. Stößel, R. Fawzi and M. Steimann), C1
Tungsten
Bridging alkenyl species from the protonation of ditungsten, tungsten–molybdenum and dimolybdenum transverse alkyne complexes with HCl and CF_3COOH. Crystal structure of $[WMoCl(\mu$-(E)-$HC{=}CHPh)(CO)_4(\eta^5$-$C_5H_5)_2]$ (G.A. Acum, M.J. Mays, P.R. Raithby and G.A. Solan), 65
Organomercuration of the carbanion derived from $[M(CO)_4$-$(Ph_2PCH_2PPh_2)]$ (M = Cr, Mo or W). Crystal and molecular structure of $[Cr(CO)_4\{Ph_2PCH(HgMe)PPh_2\}]$ (A.T. Hutton and F.P. Wewers), C14
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. III. Synthesis of some novel seven-coordinate tungsten(II) complexes $[WCl(SnCl_3)(CO)_3L_2]$ (L=N- and P-donor ligands) (T. Szymańska-Buzar), 241
Syntheses and characterization of tricarbonyl tungsten complexes containing 1,1'-bis(diphenylphosphino)ferrocene ligand (S.C.N. Hsu, W.-Y. Yeh and M.Y. Chiang), 121
Synthesis and characterization of tetracarbonyl complexes of molybdenum and tungsten with functionalized imines. Crystal structure of *cis*-$Mo(CO)_4[(CH_3)(C_6H_5)C{=}N(CH_2)]_2$ (M.A. Paz-Sandoval, M.E. Domínguez-Durán, C. Pazos-Mayen, A. Ariza-Castolo, M. De Jesús Rosales-Hoz and R. Contreras), 1

Wittig rearrangement
Rearrangements of silyl- and stannyl-substituted diallyl ethers: competition between the allyl-vinyl ether rearrangement and the [2,3] Wittig sigmatropic rearrangement (T.N. Mitchell, F. Gießelmann and K. Kwetkat), 191

X-ray diffraction
1,3-Dibora-[3]ferrocenophanes; synthesis and characterization (M. Herberhold, U. Dörfler, W. Milius and B. Wrackmeyer), 59
X-ray structure
Heterobimetallic indenyl complexes. Synthesis and structure of *syn*-$[Cr(CO)_3(\mu,\eta{:}\eta$-indenyl$)Rh(COD)]$ (C. Bonifaci, A. Ceccon, A. Gambaro, P. Ganis, S. Santi, G. Valle and A. Venzo), 35
Metal complexes of ferrocene cryptands (H. Plenio and R. Diodone), 73
Metallorganische Chemie des Technetiums XII. Photolytische CO-Substitutionsreaktionen von Technetiumtricarbonylverbindungen. Synthesen und Röntgenstrukturanalysen von $(C_5H_5)Tc(CO)_2(PPh_3)$, $(C_5Me_5)Tc(CO)_2(PPh_3)$ und $[HB(3,5$-$Me_2Pz)_3Tc(CO)_2\{P(OMe)_3\}]$ im Vergleich mit seinen Homologen (J.E. Joachim, C. Apostolidis, B. Kanellakopulos, D. Meyer, B. Nuber, K. Raptis, J. Rebizant und M.L. Ziegler), 199
Reduction reactions of binuclear manganese–molybdenum complexes containing S_2CPR_3 and bidentate *P*-donor bridges. X-Ray structure of $[MnMo(SnPh_3)(CO)_4(\mu$-tedip$)(\mu$-$S_2CPCy_3)]$ (E.M. López, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 23
Synthesis of dithiolate gold(III) complexes by dithiolate transfer reactions. X-ray structure of $[Au(C_6F_5)(S_2C_6H_4)(PPh_3)]$ (E. Cerrada, E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, R. Terroba and M.D. Villacampa), 105
Übergangsmetallkomplexe von Diazenen. XXXIV. 2,6-Di(trans-stilbenyl)azobenzole und 2,3-Dihydrocinnoline durch cobaltkatalysierte, zweifache Addition von Tolan an Azobenzolderivate (G. Halbritter, F. Knoch und H. Kisch), 87

Zeolites
Synthesis and characterization of new chiral Rh(I) complexes with *N,N'*-, and *N,P*-ligands. A study of anchoring on the modified zeolites and catalytic properties of heterogenized complexes (A. Carmona, A. Corma, M. Iglesias, A. San José and F. Sánchez), 11
Zinc
Synthesis of dithiolate gold(III) complexes by dithiolate transfer reactions. X-ray structure of $[Au(C_6F_5)(S_2C_6H_4)(PPh_3)]$ (E. Cerrada, E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, R. Terroba and M.D. Villacampa), 105
Zirconium
Arene–transition metal complexes as precursors of hard coatings prepared by the chemical vapour deposition technique (K. Hankó, G. Vass and L. Szepes), 235

Insertion of phenyl azide and diphenyldiazomethane into bis(cyclopentadienyl)zirconacyclopentanes. Crystal structure of an 18-electron alkyl zirconocene triazenido complex (T. Luker, R.J. Whitby and M. Webster), 53

Book reviews

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th edition, Molybdenum, Supplement Volume B9, Compounds with Se, Te, Po (G.J. Leigh), C20

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th edition, Rare Earth Elements, Volume 12b, Sc, Y, La–Lu, Compounds with Carbon (G.J. Leigh), C20

Inorganic Chemistry, 2nd edition, D.F. Shriver, P.W. Atkins and C.H. Langford (G.J. Leigh), C21

Progress in Inorganic Chemistry, Volume 42, K.D. Karlin (Ed.) (G.J. Leigh), C21